


**KAESER**  
**COMPRESSORS**

*Built for a lifetime.™*



**MobilairTools™**

**kaeser.com**

## MobilairTools™

Kaeser's MobilairTools combine the latest manufacturing techniques and advanced materials to produce top-quality, durable tools for the construction industry. From new road construction and overpass refurbishment, to replacing gas lines and installing electrical conduits, MobilairTools provide power and reliability in today's tough environments.

## Standard Paving Breakers



KPB 50

### Features

- Drop-forged alloy steel housing
- Built-in automatic oiler
- Rubber handle grips
- Latch-type retainer
- Swivel hose connection
- Four-bolt backhead
- Replaceable chuck bushing

**Model KPB 30** - 30 lb. class

**Model KPB 40** - 40 lb. class

**Model KPB 60** - 60 lb. class

**Model KPB 90** - 90 lb. class

Model	Chuck Size (in.)	Bore (in.)	Stroke (in.)	BPM	cfm @ 90 psi	Wt. (lb.)	Length (in.)	Air Inlet (NPT)
KPB 30	7/8 x 3¼ • 1 x 4¼	1¼	3¾	1550	34-38	34	22½	3/8 Male
KPB 40	1 x 4¼	17/8	5¾	900	44	42	251/8	
KPB 60	11/8 x 6 • 1¼ x 6	2¼	41/8	1400	60-65	67	255/8	3/4 Male
KPB 90		25/8	61/8	1250	58-80	93	28¾	

## Chipping Hammers



KCH 02P  
P Series

KCH 02  
4-Bolt Series

### Features

- Flapper valve design allows dirt to pass without stopping the tool
- Deep case-hardened alloy steel cylinders
- Drop-forged alloy steel handles
- Adjustable exhaust deflector
- Includes oval retainer, locking spring, and 3/8 NPT inlet bushing

- Choice of optional retainers including the latch-type

- Available in 2", 3", and 4" stroke

### P Series

- Traditional pistol grip handle

### 4-Bolt Series

- 4-bolt style handle for easy maintenance

	Model	Chuck Size (in.)	Bore (in.)	Stroke (in.)	BPM	cfm @ 90 psi	Wt. (lb.)	Length (in.)	Air Inlet (NPT)
P Series	KCH 03P	.680 round or .580 hex	1-1/8	3	2200	33-35	14	15¼	3/8 Male
	KCH 04P			4	1800	34-35	15	17	
4-Bolt	KCH 02			2	2300	32-34	13	14	
	KCH 03			3	2200	33-35	14	15¼	
	KCH 04	4	1800	34-36	15	17			

# Rivet Busters



KRB 08

## Features

- Deep case-hardened alloy steel cylinder
- Uses extra heavy duty tool steel
- Heavy duty upper and lower sleeves
- Adjustable exhaust deflector
- Teflon® throttle valve
- Drop-forged D-style handle
- Inside trigger for better control and safety

*Teflon® is a registered trademark of DuPont Corporation*

Model	Bore (in.)	Stroke (in.)	BPM	cfm @ 90 psi	Wt. (lb.)	Length (in.)	Air Inlet (NPT)
KRB 06	1 <sup>3</sup> / <sub>16</sub>	6	1140	42-46	26	18½	1/2 Female
KRB 08		8			30	22½	
KRB 11		11	850	48-52	33	25½	

# Rock Drills



KDR 20

## Features

- Stop-rotation feature
- Counterclockwise rotation
- Built-in automatic oiler
- Latch-type retainer
- Lightweight aluminum cast handle
- Model KDR 60 - 60 lb. class
  - Counterclockwise rotation
  - 3 drilling speeds
  - Replaceable piston stem bearing
  - Rubber handle grips
  - Available wet or dry

Model	Chuck Size (in.)	Bore (in.)	Stroke (in.)	BPM	cfm @ 90 psi	Wt. (lb.)	Length (in.)	Air Inlet (NPT)
KDR 20	7/8 x 3¼ or 7/8 x 4¼	1 <sup>15</sup> / <sub>16</sub>	1 <sup>7</sup> / <sub>8</sub>	2900	32-36	16.5	19	3/8 Male
KDR 30		2 <sup>7</sup> / <sub>16</sub>	1 <sup>7</sup> / <sub>16</sub>	2700	70-73	29	19½	3/4 Male
KDR 60		2 <sup>9</sup> / <sub>16</sub>	2 <sup>5</sup> / <sub>8</sub>	2250	95-100	61	24	

# Clay Diggers



KCD 31

## Features

- Deep drop-forged alloy steel cylinder
- Latch-type retainer
- Replaceable chuck bushing
- Drop-forged D-style handle
- Inside trigger for better control and safety
- Lightweight, compact, for easy handling
- Automatic flapper valve allows dirt to pass without stopping the tool

Model	Chuck Size (in.)	Bore (in.)	Stroke (in.)	BPM	cfm @ 90 psi	Wt. (lb.)	Length (in.)	Air Inlet (NPT)
KCD 21	1 x 3 round • 7/8 x 3 1/4 hex	1 7/16	2 3/4	1560	38-42	19	18 1/2	3/4 Male
KCD 31	7/8 x 3 1/4 • 1 x 4 1/4	1 3/4	3 3/8	1550	34-36	30	23	3/8 Male

# Backfill Tamper and Heavy-duty Scraper



KBT 37



KHS 12

## Features

### Model KBT 37

- Built-in large automatic oiler
- Flapper valve design allows dirt to pass without stopping the tool
- Internally reinforced large malleable iron butt (standard)
- Pole (half-moon) and 3" diameter butts available

### Model KHS 12

- Heavy-duty spring retainer allows for quick chisel changing
- Extended reach for overhead jobs
- High strength forged handle with no-weld design
- Excellent for removing tile and linoleum

Model	Bore (in.)	Stroke (in.)	BPM	cfm @ 90 psi	Wt. (lb.)	Length (in.)	Air Inlet (NPT)
KTB 37	1 1/2	5 1/2	1450	38-42	39	48 1/4	1/2 Female
KHS 12		1 1/2	3850	12	17	53	



**Built for a lifetime.™**



[www.kaeser.com](http://www.kaeser.com)

**Kaeser Compressors, Inc.**  
511 Sigma Drive  
Fredericksburg, VA 22408 USA  
Telephone: 540-898-5500  
Toll Free: 800-777-7873  
info.usa@kaeser.com

**Kaeser Compressors Canada Inc.**  
3760 La Vérendrye Street  
Boisbriand, QC J7H 1R5 CANADA  
Telephone: (450) 971-1414  
Toll free: (800) 477-1416  
info.canada@kaeser.com

**Kaeser Compresores de México S de RL de CV**  
Calle 2 #123  
Parque Industrial Jurídica  
76100 Querétaro, Qro.  
Telephone: 01 (442) 218 64 48  
sales.mexico@kaeser.com

**Kaeser Compresores de Guatemala y Cia. Ltda.**  
Calz. Atanasio Tzul 21-00, zona 12  
El Cortijo II, Bodega 501  
01012-Guatemala City  
Telephone: +502 2412-6000  
info.guatemala@kaeser.com

