


KAESER
COMPRESSORS

Built for a lifetime.™

MobilairTools™



MobilairTools™

Kaeser's MobilairTools combine the latest manufacturing techniques and advanced materials to produce top-quality, durable tools for the construction industry. From new road construction and overpass refurbishment, to replacing gas lines and installing electrical conduits, MobilairTools provide power and reliability in today's tough environments.

Standard Paving Breakers



KPB 50

Features:

- Drop-forged alloy steel housing
- Built-in automatic oiler
- Rubber handle grips
- Latch-type retainer
- Swivel hose connection
- Four-bolt backhead
- Replaceable chuck bushing

Model KPB 30 - 30 lb. class

Model KPB 40 - 40 lb. class

Model KPB 60 - 60 lb. class

Model KPB 90 - 90 lb. class

Model	Chuck Size (in.)	Bore (in.)	Stroke (in.)	BPM	cfm @ 90 psi	Wt. (lb.)	Length (in.)	Air Inlet (NPT)
KPB 30	7/8 x 3-1/4 • 1 x 4-1/4	1-3/4	3-3/8	1550	34-38	34	22-1/2	3/8 male
KPB 40	1 x 4-1/4	1-7/8	5-3/4	900	44	42	25-1/8	3/4 male
KPB 60	1-1/8 x 6 • 1-1/4 x 6	2-1/4	4-1/8	1400	60-65	67	25-5/8	
KPB 90		2-5/8	6-1/8	1250	58-80	93	28-3/4	

Chipping Hammers



KCH 02P
P Series



KCH 02
4-Bolt Series

Features:

- Flapper valve design allows dirt to pass without stopping the tool
- Deep case-hardened alloy steel cylinders
- Drop-forged alloy steel handles
- Adjustable exhaust deflector
- Includes oval retainer, locking spring, and 3/8 NPT inlet bushing
- Choice of optional retainers including the latch-type

- Available in 2", 3", and 4" stroke

P Series

- Traditional pistol grip handle

4-Bolt Series

- 4-bolt style handle for easy maintenance

	Model	Chuck Size (in.)	Bore (in.)	Stroke (in.)	BPM	cfm @ 90 psi	Wt. (lb.)	Length (in.)	Air Inlet (NPT)
P Series	KCH 02P	.680 round or .580 hex	1-1/8	2	2300	32-34	13	14	3/8 Male
	KCP 03P			3	2200	33-35	14	15-1/4	
	KCH 04P			4	1800	34-36	15	17	
4-Bolt	KCH 02			2	2300	32-34	13	14	
	KCH 03			3	2200	33-35	14	15-1/4	
	KCH 04			4	1800	34-36	15	17	

Rivet Busters



KRB 08

Features:

- Deep case-hardened alloy steel cylinder
- Uses extra heavy duty tool steel
- Heavy duty upper and lower sleeves
- Adjustable exhaust deflector
- Teflon® throttle valve
- Drop-forged D-style handle
- Inside trigger for better control and safety

Teflon® is a registered trademark of DuPont Corporation

Model	Bore (in.)	Stroke (in.)	BPM	cfm @ 90 psi	Wt. (lb.)	Length (in.)	Air Inlet (NPT)
KRB 06	1-3/16	6	1140	42-46	26	18-1/2	1/2 Female
KRB 08		8			30	22-1/2	
KRB 11		11	850	48-52	33	25-1/2	

Rock Drills



KDR 20

Features:

- Stop-rotation feature
- Counter-clockwise rotation
- Built-in automatic oiler
- Latch-type retainer
- Light-weight aluminum cast handle
- Model KDR 60 - 60 lb. class
- Counter-clockwise rotation
- 3 drilling speeds
- Replaceable piston stem bearing
- Rubber handle grips
- Available wet or dry

Model	Chuck Size (in.)	Bore (in.)	Stroke (in.)	BPM	cfm @ 90 psi	Wt. (lb.)	Length (in.)	Air Inlet (NPT)
KDR 20	7/8 x 3-1/4 or 7/8 x 4-1/4	1-15/16	1-7/8	2900	32-36	16.5	19	3/8 male
KDR 30		2-7/16	1-7/16	2700	70-73	29	19-1/2	3/4 male
KDR 60	7/8 x 3-1/4 or 4-1/4 • 1 x 4-1/4	2-9/16	2-5/8	2250	95-100	61	24	

Clay Diggers



KCD 31

Features:

- Deep drop-forged alloy steel cylinder
- Latch-type retainer
- Replaceable chuck bushing
- Drop-forged D-style handle
- Inside trigger for better control and safety
- Light weight, compact, for easy handling
- Automatic flapper valve allows dirt to pass without stopping the tool

Model	Chuck Size (in.)	Bore (in.)	Stroke (in.)	BPM	cfm @ 90 psi	Wt. (lb.)	Length (in.)	Air Inlet (NPT)
KCD 21	1 x 3 round • 7/8 x 3-1/4 hex	1-7/16	2-3/4	1560	38-42	19	18-1/2	3/4 male
KCD 31	7/8 x 3-1/4 • 1 x 4-1/4	1-3/4	3-3/8	1550	34-36	30	23	3/8 male

Backfill Tamper and Heavy-duty Scraper



KBT 37

KHS 12

Features:

Model KBT 37

- Built-in large automatic oiler
- Flapper valve design allows dirt to pass without stopping the tool
- Internally reinforced large malleable iron butt (standard)
- Pole (half-moon) and 3" diameter butts available

Model KHS 12

- Heavy-duty spring retainer allows for quick chisel changing
- Extended reach for overhead jobs
- High strength forged handle with no-weld design
- Excellent for removing tile and linoleum

Model	Bore (in.)	Stroke (in.)	BPM	cfm @ 90 psi	Wt. (lb.)	Length (in.)	Air Inlet (NPT)
KBT 37	1-1/2	5-1/2	1450	38-42	39	48-1/4	1/2 female
KHS 12		1-1/2	3850	12	17	53	

Specifications subject to change without notice.

KAESER COMPRESSORS

Built for a lifetime™

www.kaeser.com

Kaeser Compressors, Inc.
511 Sigma Drive
Fredericksburg, VA 22408 USA
Telephone: 540-898-5500
Toll Free: 800-777-7873
info.usa@kaeser.com

Kaeser Compressors Canada Inc.
3760 La Verendrye Street
Boisbriand, QC J7H 1R5 CANADA
Telephone: (450) 971-1414
Toll free: (800) 477-1416
info.canada@kaeser.com

Kaeser Compresores de México S de RL de CV
Calle 2 #123
Parque Industrial Jurídica
76100 Querétaro, Qro.
Telephone: 01 (442) 218 64 48
sales.mexico@kaeser.com

Kaeser Compresores de Guatemala y Cia. Ltda.
Calz. Atanasio Tzul 21-00, zona 12
El Cortijo II, Bodega 501
01012-Guatemala City
Telephone: +502 2412-6000
info.guatemala@kaeser.com

Certified Management Systems

